
AXIOM® Classic

Straight Perimeter Trim

SUSTAIN™
High Performance
Sustainable
Ceiling Systems



CAD/Revit® drawings at:
armstrongceilings.com/cadrevit





Axiom Classic Curved Perimeter Trim

Axiom Classic Trim

Extruded perimeter trim solution for use in floating suspended ceiling applications.

KEY SELECTION ATTRIBUTES

- Extruded aluminum trim provides more crisp edge detailing compared to conventional roll-formed steel systems
- 6" or taller Axiom Classic Trim, along with the adjustable trim clip (Item 7239) makes Axiom® Classic Trim compatible with WoodWorks® and MetalWorks™ panels that drop greater than 3/8" below the grid flange
- Factory precision mitering and cut-to length requests available by special order as part of a ProjectWorks® package
- Axiom trim is part of the Sustain™ portfolio and meets the most stringent industry sustainability compliance standards today
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim (Cleaning and CDC-approved disinfecting options available on armstrongceilings.com/cleaning)
- Nine profile heights
- Compatible with Armstrong® Suspension Systems and FrameAll® Drywall Grid
- Colors coordinate with Armstrong ceiling and suspension systems
- 10-Year Limited warranty, 30-year system warranty

COLORS Due to printing limitations, shade may vary from actual product.

Standard

White (WH) · Black (BL) · Silver Satin (SA) · Silver Grey (SG) · Gun Metal Grey (MY) · Blizzard White (ZW) · Charcoal Black (ZB)



Custom Colors Available*

* Custom colors will require purchase and approval of COLORCHIP found on specialty grid price list.

For Premium and Custom requests contact Axiom Quote, AxiomQuote@armstrong.com

Premium - Armstrong® Suspension System Coordinating Colors

Ivory (IV) · Medium Taupe (MT) · Light Grey (LG) · Grey Stone (GS) · Stone (SE) · Basalt (SBT) · Riverstone (SRV) · Coffee (SCE) · Polar (SPO) · Limestone (SLM) · Fossil (SFL) · Sandstone (SSS) · Hay (SHY) · Oat (SOT)

Mist (SMT) · Pacific (SPC) · Rainstorm (SRS) · Lilac (SLC) · Twilight (STT) · Ocean (SOC) · Boxwood (SBW) · Fern (SFN) · Ivy (SIV) · Feldspar (SFS) · Topaz (STZ) · Bronzite (SBZ) · Honeysuckle (SHS) · Marigold (SMG) · Rose (SRO)

Premium - MetalWorks™ Mesh Coordinating Metallic Colors

Copper (MCP) · Bronze (MBZ) · Nickel Chrome (NC)

Premium - MetalWorks™ Lume Coordinating Colors

Whitelume (WHA) · Silverlume (SIA) · Gun Metal (MYA)

TechLine 877 276-7876
armstrong.com/axiomclassic

Armstrong®
World Industries

AXIOM® Classic
Straight Perimeter Trim

SUSTAIN™ High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT
UP TO 50%


LEED V5
Ecomedes Data

COMMON MATERIALS FRAMEWORK

Human Health	Declare Label HPD 3rd Party CDPH	Climate Health	EPD
		Ecosystem Health	EPD
		Circular Economy	✓

VISUAL SELECTION

	Item No.◆	Description	Dimensions (Inches)	Unit of Measure	INCLUDED ACCESSORIES AXTBC	AXSPLICE2	AX2HGC	Factory Miter Minimum*
AXIOM® Classic Straight Perimeter Trim	**AX2STR_ _ _**	2" Straight Perimeter Trim	120 × 3/4 × 1-15/16"	Pc.	5	1	–	21°
	AX2STR12 _ _ _	2" Straight Perimeter Trim	144 x 3/4 x 1 -15/16"	Pc.	6	1	–	21°
	AX3STR_ _ _	3" Straight Perimeter Trim	120 × 3/4 × 2-15/16"	Pc.	5	1	–	21°
	AX4STR_ _ _	4" Straight Perimeter Trim	120 × 3/4 × 3-7/8"	Pc.	5	2	–	21°
	AX4STR12_ _ _	4" Straight Perimeter Trim	144 × 3/ 4 × 3-7/8"	Pc.	6	2	–	21°
	AX6STR_ _ _	6" Straight Perimeter Trim	120 × 3/4 × 5-13/16"	Pc.	5	2	–	21°
	AX6STR12_ _ _	6" Straight Perimeter Trim	144 × 3/4 × 5-13/16"	Pc.	6	2	–	21°
	AX8STR_ _ _	8" Straight Perimeter Trim	120 × 3/4 × 7-13/16"	Pc.	5	2	–	35°
	AX10STR_ _ _	10" Straight Perimeter Trim	120 × 3/4 × 10"	Pc.	7	3	2	35°
	AX12STR_ _ _	12" Straight Perimeter Trim	120 × 3/4 × 12"	Pc.	7	4	2	35°
	AX14STR_ _ _	14" Straight Perimeter Trim	120 × 3/4 × 14"	Pc.	7	4	2	35°
	AX16STR_ _ _	16" Straight Perimeter Trim	120 × 3/4 × 16"	Pc.	7	5	2	35°



* Factory Mitered Minimums refers a cut that is made at an angle other than 90 degrees to achieve field assembled corners.
◆ For Standard colors: When specifying or ordering items with the standard color finish add the two-letter suffix to the end of the item number for face paint options.
For a 360-degree painted product, add a "3" in front of the two-letter paint suffix. (e.g. 2" Straight Axiom Silver Grey {face paint} - AX2STRS G; {360 painted} - AX2STR3 S G)
For Premium and Custom colors contact AxiomQuote@armstrong.com

VISUAL SELECTION

	Item No.	Description	Dimensions (Inches)	Unit of Measure	INCLUDED ACCESSORIES AXTBC	AXSPLICE2	AX2HGC	Pc./Ctn.
Axiom Classic Full Carton Packaging Sizes	**AX2CTN**	2" Straight Perimeter Trim	120 × 3/4 × 1-15/16"	Pc.	30	6	–	6
	AX2CTNBL	2" Straight Perimeter Trim - Black	120 × 3/4 × 1-15/16"	Pc.	30	6	–	6
	AX3CTN	3" Straight Perimeter Trim	120 × 3/4 × 2-15/16"	Pc.	30	6	–	6
	AX4CTN	4" Straight Perimeter Trim	120 × 3/4 × 3-7/8"	Pc.	30	12	–	6
	AX4CTNBL	4" Straight Perimeter Trim - Black	120 × 3/4 × 3-7/8"	Pc.	30	12	–	6
	AX6CTN	6" Straight Perimeter Trim	120 × 3/4 × 5-13/16"	Pc.	30	12	–	6
	AX6CTNBL	6" Straight Perimeter Trim - Black	120 × 3/4 × 5-13/16"	Pc.	30	12	–	6
	AX8CTN	8" Straight Perimeter Trim	120 × 3/4 × 7-13/16"	Pc.	30	12	–	6
	AX10CTN	10" Straight Perimeter Trim	120 × 3/4 × 10"	Pc.	21	9	6	3
	AX12CTN	12" Straight Perimeter Trim	120 × 3/4 × 12"	Pc.	14	8	4	2

AXIOM® Classic
Straight Perimeter Trim

SUSTAIN™ High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT UP TO 50%

LEED V5 Ecomedes Data

COMMON MATERIALS FRAMEWORK


Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓

TRIM & TRANSITIONS – Standard


VISUAL SELECTION

PACKAGING

	Item No.◆	Description	Dimensions (Inches)	Profile Height	Corners/Ctn.
AXIOM® Classic Corner Posts	AX2ISCPCTN_ _ _	2" Inside Corner Post	3/4" x 3/4"	1-15/16"	4
	AX2OSCPCTN_ _ _	2" Outside Corner Post	3/4" x 3/4"	1-15/16"	4
new	AX3ISCPCTN___	3" Inside Corner Post	3/4" x 3/4"	2-15/16"	4
new	AX3OSCPCTN _ _ _	3" Outside Corner Post	3/4" x 3/4"	2-15/16"	4
	AX4ISCPCTN_ _ _	4" Inside Corner Post	3/4" x 3/4"	3-7/8"	4
	AX4OSCPCTN_ _ _	4" Outside Corner Post	3/4" x 3/4"	3-7/8"	4
	AX6ISCPCTN_ _ _	6" Inside Corner Post	3/4" x 3/4"	5-13/16"	4
	AX6OSCPCTN_ _ _	6" Outside Corner Post	3/4" x 3/4"	5-13/16"	4
	AX8ISCPCTN_ _ _	8" Inside Corner Post	3/4" x 3/4"	7-13/16"	4
	AX8OSCPCTN_ _ _	8" Outside Corner Post	3/4" x 3/4"	7-13/16"	4
	AX10ISCPCTN_ _ _	10" Inside Corner Post	3/4" x 3/4"	10"	4
	AX10OSCPCTN_ _ _	10" Outside Corner Post	3/4" x 3/4"	10"	4
	AX12ISCPCTN_ _ _	12" Inside Corner Post	3/4" x 3/4"	12"	4
	AX12OSCPCTN_ _ _	12" Outside Corner Post	3/4" x 3/4"	12"	4
AXIOM® Classic Pre-mitered Corners	AX2QSISCTN_ _ _	2" Axiom Classic Inside QS Corner	12" x 3/4"	1-15/16"	2
	AX2QSOSCTN_ _ _	2" Axiom Classic Outside QS Corner	12" x 3/4"	1-15/16"	2
	AX3QSISCTN _ _ _	3" Axiom Classic Inside QS Corner	12" x 3/4"	2-15/16"	2
	AX3QSOSCTN_ _ _	3" Axiom Classic Outside QS Corner	12" x 3/4"	2-15/16"	2
	AX4QSISCTN_ _ _	4" Axiom Classic Inside QS Corner	12" x 3/4"	3-7/8"	2
	AX4QSOSCTN_ _ _	4" Axiom Classic Outside QS Corner	12" x 3/4"	3-7/8"	2
	AX6QSISCTN_ _ _	6" Axiom Classic Inside QS Corner	12" x 3/4"	5-13/16"	2
	AX6QSOSCTN_ _ _	6" Axiom Classic Outside QS Corner	12" x 3/4"	5-13/16"	2
	AX8QSISCTN_ _ _	8" Axiom Classic Inside QS Corner	12" x 3/4"	7-13/16"	2
	AX8QSOSCTN_ _ _	8" Axiom Classic Outside QS Corner	12" x 3/4"	7-13/16"	2
	AX10QSISCTN_ _ _	10" Axiom Classic Inside QS Corner	12" x 3/4"	10"	2
	AX10QSOSCTN_ _ _	10" Axiom Classic Outside QS Corner	12" x 3/4"	10"	2
	AX12QSISCTN_ _ _	12" Axiom Classic Inside QS Corner	12" x 3/4"	12"	2
	AX12QSOSCTN_ _ _	12" Axiom Classic Outside QS Corner	12" x 3/4"	12"	2
	AX14QSISCTN_ _ _	14" Axiom Classic Inside QS Corner	12" x 3/4"	14"	2
	AX14QSOSCTN_ _ _	14" Axiom Classic Outside QS Corner	12" x 3/4"	14"	2
	AX16QSISCTN_ _ _	16" Axiom Classic Inside QS Corner	12" x 3/4"	16"	2
	AX16QSOSCTN_ _ _	16" Axiom Classic Outside QS Corner	12" x 3/4"	16"	2




Axiom Inside Corner Post




Axiom Outside Corner Post

Axiom corner posts eliminate angled miter cuts at corners for a fast and easy installation.



Inside Corner



Outside Corner

Axiom factory-mitered inside and outside corner pieces are created to match your Axiom trim channel order. Two 12" pieces are field-assembled to form one 90° mitered corner.

NOTE: Custom degree corners available.

◆ For Standard colors: When specifying or ordering items with the standard color finish add the two-letter suffix to the end of the item number for face paint options.
For a 360-degree painted product, add a "3" in front of the two-letter paint suffix. (e.g. 2" Straight Axiom Silver Grey {face paint} - AX2STRS G; {360 painted} - AX2STR3 S G)
For Premium and Custom colors contact AxiomQuote@armstrong.com

AXIOM® Classic
Straight Perimeter Trim

SUSTAIN™ High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT
UP TO 50%

LEED V5
Ecomedes Data

COMMON MATERIALS FRAMEWORK



Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓

INCLUDED ACCESSORIES

Item No.	Description	
AXSPLICE2	Splice Plate with Setscrews	
AXTBC	T-Bar Connection Clip	
AX2HGC*	Axiom Hanging Grid Clip with 2 holes	


*Only included with 10", 12", 14", and 16" Axiom Classic Straight Perimeter Trim


OPTIONAL ACCESSORIES

Item No.	Description	
AXTBCSS	T-Bar Connection Clip Stainless Steel version for non-ferrous applications	
AX-V-TBC**	T-Bar Clip for Vector® panel	
7239***	Adjustable Trim Clip	
AXSPLICE	Axiom Splice with Screws	
AXSPLICESS	Axiom Splice with Screws Stainless Steel version for non-ferrous applications	
AX2HGCSS	Axiom Hanging Grip Clip with 2 holes Stainless Steel version for non-ferrous applications	
AXSPTHDC	Axiom-Serpentina Hold-Down Clip	
AX4SPLICEB	Axiom Splice Plate with Tabs	

** AX-V-TBC can be ordered in lieu of AXTBC when necessary, see section details below for examples
*** For use with specialty ceilings with grid offset larger than 3/8"

SECTION DETAILS
Additional section details and CAD drawings available on armstrong.com/axiom





PHYSICAL DATA

Material
Commercial quality 6063 aluminum alloy

Cleaning & Disinfecting
Cleaning and CDC-approved disinfecting options available on armstrong.com/cleaning

Design Considerations
Physical product samples for standard and custom colors are available upon request. Please refer to the physical product sample prior to making a final selection. While we strive to ensure exact color matches, various factors such as differences in materials, texture, substrate porosity, painting processes, lighting, and observer subjectivity can all affect how paint colors appear on ceiling and wall panels, suspension systems, and trim products. Due to these and other differences, ceiling and wall panels, trim products, and suspension systems with the same color name will coordinate but may not be an exact color match. Product is dye-lotted. Order sufficient initial quantities and attic stock to minimize possible color variation.

All acoustical grid and Axiom trim accessories (a.k.a. clips) are supplied as unpainted items. Exposed clips will need to be field painted after installation, if required for the project. This ensures accessories meet the tested performance criteria and adhere to AWI installation instructions and warrantied products or systems.

Additional Design Considerations
Colors that are pre-qualified to meet Sustain portfolio requirements are available upon request. Other made-to-order colors must be evaluated if sustainability criteria is required. Lead time will increase.

Warranty
10-Year Limited Warranty; 30-Year System Warranty

Profile
Nine standard height profiles available with 3/4" horizontal flange(s)

TechLine / 1 877 276-7876
armstrong.com/axiomclassic

BPCS-3080-926

LEED® is a registered trademark of the U.S. Green Building Council; Declare® and Living Building Challenge® (LBC) are registered trademarks of the International Living Future Institute®; WELL™ and WELL Building Standard are trademarks of the International WELL Building Institute; RAL® is a registered trademark of gGmbH Revit® is a registered trademark of Autodesk, Inc.; all other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates © 2026 AWI Licensing LLC

Armstrong® World Industries