AXIOM® Indirect Field Light Coves

For Specialty Ceilings

SUSTAIN™
High Performance
Sustainable
Ceiling Systems



Axiom Indirect Field Light Coves for Specialty Ceilings

These extruded aluminum indirect light coves provide consistent lighting performance with precise integration across select Armstrong specialty ceilings.

KEY SELECTION ATTRIBUTES

- Axiom® Indirect Field Light Coves for Specialty Ceilings offer prefabricated "out of the box" solutions, delivering predictable integration between lighting and selected Armstrong® Specialty Ceilings
- Designed with alignment grooves that accept the Axiom Light Fixture Alignment Clip (ALFAC) for use with Axis Cove Perfekt™ Lighting, and Vode ® ZipWave™ light fixtures. These coves deliver aim free predictable performance in ceiling or wall lighting applications
- Pre-fabricated corners
- Ability to cut to the length desired in the field
- Adjustable trim clip (7239) allows for a range of 0" to 3-1/4" to accommodate your specialty panels
- 10-Year Limited Warranty, 30-Year System Warranty
- Axiom Indirect Field Light Coves are part of the Sustain™ portfolio and meet the most stringent industry sustainability compliance standards today
- CleanAssure™ family of products – includes disinfectable panels, suspension systems, and trim

TYPICAL APPLICATIONS

- Offices
- Corridors
- Restrooms
- Healthcare
- Lobbies
- Boardrooms
- Retail
- Retrofits

LIGHTING FIXTURES

Compatible with:

Most Standard Fixture Lighting

Axis Lighting and Vode Lighting*

*When used with the Axiom Light Fixture Alignment Clip (ALFAC)

axis

vode

COLORS

Due to printing limitations, shade may vary from actual product.

Axiom Trim Finish Selection

White (WH)

Custom Colors Available*


* Colors that are pre-qualified to meet Sustain™ portfolio requirements are available upon request. Other made-to-order colors must be evaluated if sustainability criteria is required. Lead time will increase.

For Premium and Custom requests contact Axiom Quote, AxiomQuote@armstrong.com


VISUAL SELECTION

	Item No.	Description	Length	INCLUDED ACCESSORIES AX4SPLICE	INCLUDED ACCESSORIES 7239
new Axiom Indirect Field Light Cove for Specialty Ceilings	**AXIASL2**	2" Classic Edge – Straight	120"	2	5
	AXIASLKE	Knife Edge® – Straight	120"	2	5

DETAILS



2" Classic



Knife Edge®

NOTE: Elevations and shop drawings are required for the manufacturing of this product. Contact Armstrong Customer Service at 1 877 276 7876, select options 1-1-2 for a quote.

AXIOM® Indirect Field Light Coves

For Specialty Ceilings

SUSTAIN™ High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT

UP TO 50%

LEED V5

Ecomedes Data


COMMON MATERIALS FRAMEWORK

Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓


CORNER SELECTION

	Item No.	Description	Length	INCLUDED ACCESSORIES AX4SPLICE
new Axiom Indirect Field Light Cove for Specialty Ceilings Corners for Classic Profile	**AXIASL2IC**	Classic Edge Inside Corner	12" × 12"	2
	AXIASL2OC	Classic Edge Outside Corner	12" × 12"	2

CORNER DETAILS



2" Classic Inside Corner




2" Classic Outside Corner


CORNER SELECTION

	Item No.	Description	Length	INCLUDED ACCESSORIES AX4SPLICE
new Axiom Indirect Field Light Cove for Specialty Ceilings Corners for Knife Edge® Profile	**AXIASLKEIC**	Knife Edge Inside Corner	12" × 12"	2
	AXIASLKEOC	Knife Edge Outside Corner	12" × 12"	2

CORNER DETAILS



Knife Edge® Inside Corner








Knife Edge® Outside Corner

COMPATIBLE SPECIALTY CEILINGS

MetalWorks™
- Torsion Spring
- Linear
- Clip-On
- Open Cell
- 3D
- Synchro™
- Diverge™

WoodWorks®
- Grille
- Grille Tegular
- Concealed
- Torsion Spring
- Open Cell
- Linear

ACCESSORIES (7239 and AX4SPLICE are included with order)

Item No.	Description	
7239	Adjustable Trim Clip	
AX4SPLICE	Axiom Splice Plate	
new **ALFAC**	Axiom Light Fixture Alignment Clip	
15122OE	12' Knurled Angle Molding	
DW90C	90° Drywall Angle Clip	
SB12P	StrongBack™ Support Hanger	

TRIM & TRANSITIONS – Standard

AXIOM® Indirect Field Light Coves

For Specialty Ceilings

SUSTAIN™ High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT

UP TO 50%


LEED V5


Ecomedes Data


COMMON MATERIALS FRAMEWORK


Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓


DETAILS

















LIGHTING SOLUTIONS

AXIOM® Indirect Field Light Coves

For Specialty Ceilings

SUSTAIN™ High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT

UP TO 50%

LEED V5


Ecomedes Data

COMMON MATERIALS FRAMEWORK

Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓

COMPATIBLE LIGHT FIXTURES

CovePerfekt™ by Axis Lighting







Outstanding Aesthetics

- No shadows. No bright spots. No color shifting.

Easy Specification

- Aim-free luminaire. No need for complex details. Less trade coordination.

Unparalleled Performance

- Twice the efficiency of other LED cove products.
- Wide distribution using SurroundLiteTM technology.

Worry-free Installation & Maintenance

- Foolproof keyed mounting. Up to 90% less labor.


axis CovePerfekt™

For more information: www.axislighting.com

ZipWave™ | LED | 707 by Vode® Lighting

Perfect color, perfect beam, perfect alignment... every time





Exceptional Performance

- Low, standard and high outputs available
- High output over 1200 lm/ft.
- Customizable output and wattage options

Foolproof Installation

- Drop-in, tool-free installation with plug and play connections
- Runs 100' or more from one 120v power feed
- Section lengths in exact 1' (305mm) increments

vode®

For more information: www.vode.com/zipwave-led-707

PHYSICAL DATA

Material
Commercial quality 6063 aluminum alloy

Surface Finish
Factory-applied baked polyester paint finish

Warranty
10-Year Limited Warranty; 30-Year System Warranty

Profile
Classic and Knife Edge Profiles in Indirect Field Light Coves for selected Armstrong Specialty Ceiling solutions.

Cross Tee/Main Beam Interface
Flush fit

End Detail
Splice with screws

Cleaning & Disinfecting
Cleaning and CDC approved disinfecting options available on armstrong.com/cleaning

ICC Reports
For areas under ICC jurisdiction, see evaluation report numbers ESR-1289 and ESR-1308 for allowable values and/or conditions of use concerning the suspension system components listed on this page. The reports are subject to reexamination, revisions, and possible cancellation.

Application Considerations
Axiom Indirect Light Coves cannot be curved.

Design Consideration for Coves and Standard Light Fixtures
Recommended fixture weight is approximately 2 lbs./in. ft.

TechLine / 1 877 276-7876
armstrong.com/lightcoves

BPCS-6409-626

CovePerfekt™ is a trademark of Axis Lighting; Vode® And ZipWave™ are trademarks of Vode Lighting LLC; LEED® is a registered trademark of the U.S. Green Building Council; Declare® and Living Building Challenge® (LBC) are registered trademarks of the International Living Future Institute®; WELL™ and Well Building Standard are trademarks of the International WELL Building Institute; all other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates © 2026 AWI Licensing LLC

Armstrong® World Industries