CASTWORKS™

Column Covers
architectural forms



CastWorks GRG custom Column Covers

CastWorks™ GRG (glass fiber reinforced gypsum) Column Covers create a uniform appearance and cover unsightly supports.


KEY SELECTION ATTRIBUTES

- Available in cylindrical, recessed cylindrical, or tuscan prefabricated styles
- Can be customized for other shapes, sizes, or materials (Interior Molded Stone, GFRC, or FRP)
- Replicates the look of natural materials
- Easy to install and low maintenance
- Economical, lightweight, and durable replacement for traditional plaster
- Interior use, but GFRC and FRP column covers can be used for exteriors
- Can be field painted to achieve any desired color
- This product can be adjusted to comply with Build America, Buy America (BABA) requirements. Modifications to pricing and lead times may apply. Contact your local sales representative for additional information

COLORS

Paint Grade
(Unfinished for field painting)

DETAILS



Cylindrical Column Cover

Recessed Cylindrical Column Cover

Tuscan Column Cover



TechLine 877 276-7876
armstrongceilings.com/castworks


Armstrong® World Industries

CASTWORKS™


Column Covers
architectural forms

VISUAL SELECTION


Product Name	Item Number	Min Length (Inches)	Max Length Per Piece (Inches)	Diameter (Inches)	Bottom Diameter (Inches)	Top Diameter (Inches)	Base (Inches)	Cap Width (Inches)	Recessed
Cylindrical Column Cover 	**PF-1012**	6"	144"	12"	N/A	N/A	N/A	N/A	N/A
	PF-1016	6"	144"	16"	N/A	N/A	N/A	N/A	N/A
	PF-1018	6"	144"	18"	N/A	N/A	N/A	N/A	N/A
	PF-1024	6"	144"	24"	N/A	N/A	N/A	N/A	N/A
	PF-1030	6"	144"	30"	N/A	N/A	N/A	N/A	N/A
Recessed Cylindrical Column Cover 	**PF-1012R**	6"	144"	12"	N/A	N/A	N/A	N/A	Bottom and/or top
	PF-1016R	6"	144"	16"	N/A	N/A	N/A	N/A	Bottom and/or top
	PF-1018R	6"	144"	18"	N/A	N/A	N/A	N/A	Bottom and/or top
	PF-1024R	6"	144"	24"	N/A	N/A	N/A	N/A	Bottom and/or top
	PF-1030R	6"	144"	30"	N/A	N/A	N/A	N/A	Bottom and/or top

Product Name	Item Number	Min Length (Inches)	Max Length Per Piece (Inches)	Diameter (Inches)	Bottom Diameter (Inches)	Top Diameter (Inches)	Base (Inches)	Cap Width (Inches)	Recessed
Tuscan Column Cover 	**PF-2043**	84"	108"	N/A	10"	8-1/2"	13-3/8"	12-1/2"	N/A
	PF-2041	84"	144"	N/A	12"	10"	16-3/4"	15-1/2"	N/A
	PF-2019E	96"	144"	N/A	14"	12"	18-3/8"	17-1/4"	N/A
	PF-2013A	84"	156"	N/A	16"	13-5/8"	21-1/2"	20-1/8"	N/A
	PF-2008	96"	180"	N/A	18"	15"	25"	22-1/2"	N/A
	PF-2050	96"	180"	N/A	20"	17"	27"	25"	N/A
	PF-2015	108"	180"	N/A	24"	20"	32-1/2"	30"	N/A


DETAIL DRAWINGS (continued)




GRG Column Section at Drywall Ceiling




GRG Column Section at Acoustic Tile Ceiling




GRG Column Reveal at Stacking Joint



GRG Column Stacking Joint



GRG Column Section at Floor



GRG Column Tape Joint Detail

PHYSICAL DATA

Material
Glass Fiber Reinforced Gypsum is a composite consisting of gypsum cement and water, reinforced with glass fibers. Complies with ASTM C-1355/C-1355M and ASTM C-1381.

Surface Finish
Standard unfinished, paint grade. Can be field painted to achieve any desired color.

Fire Performance
Class A Fire Performance per ASTM E84.

Installation Considerations
Install CastWorks™ parts as indicated on approved shop drawings, other recommendations, and the contract requirements. Comply with ASTM Standard C1467 for installation. Use caution and wear appropriate hand, eye, and dust mask protection when handling CastWorks materials. Refer to installation instructions for complete details.

Design Support
For custom design assistance contact ProjectWorks® Design Services or visit armstrongceilings.com/projectworks

Warranty
One (1) Year Limited Warranty. Details at armstrongceilings.com

Weight
For 3/16" thickness: 2-3 LBS/SF
(may vary depending on part design)

All trademarks used herein are the property of AWI Licensing LLC and/or its affiliates
© 2026 AWI Licensing LLC

Armstrong® World Industries