LYRA® PB

with Plant-based Binder

Tegular & Square Lay-in – Wood Looks

smooth texture

SUSTAIN®
High Performance
Sustainable
Ceiling Systems

CAD/Revit® drawings at:
armstrong.com/cadrevit



Lyra PB Tegular panels in Brown Sugar Walnut with Suprafine® XL 9/16" suspension system



Lyra PB Tegular in Cashew Maple

Lyra® PB wood-look panels provide the natural beauty of large format wood ceilings with superior sound absorption and sustainability attributes without the expense.

KEY SELECTION ATTRIBUTES

- Superior sound absorption: Lyra PB panels provide up to 0.95 NRC
- Lyra PB panels are part of the Sustain® portfolio, and meet the most stringent industry sustainability compliance standards today
- Mold- and mildew-resistant surface
- Lightweight panels offer fast and easy installation on standard 15/16" and 9/16" suspension system
- Sag-resistant: perfect for high-humidity applications
- Fast lead times
- Axiom® Trim options available for cloud applications
- CleanAssure™ family of products–includes disinfectable panels, suspension systems, and trim
- Compatible with TechZone® Ceiling Systems
- Made in the U.S.A. of domestic and global content
- Build America, Buy America (BABA) Act compliant
- 30-Year Limited System Warranty against visible sag, mold, and mildew

COLORS

Due to printing limitations, shade may vary from actual product.

Standard Wood-look Visuals (9/16" Square Tegular)



Brown Sugar Walnut (WBS) | Toffee Chestnut (WTC) | Vanilla Ash (WVA) | Honey Oak (WHO) | Bourbon Cherry (WBC) | Cashew Maple (WCM) | French Roast Walnut (WRW) | Portabella Walnut (WPW)

9/16" Square Tegular – 1 Ctn. Min Order Qty in Standard Sizes; 15/16" Square Tegular and Square Lay-in – 500 SF Min Order Qty

Made-to-order Wood-look Visuals (9/16" & 15/16" Square Tegular)



Earl Grey Teak (WGT) | Dark Mocha Walnut (WMW) | Toasted Almond Ash (WTA) | Truffle Walnut (WTW)

500 SF Min Order Qty.; All quotes must be sent to ABPspecials@armstrong.com

All wood-look visuals are available made-to-order in 15/16" Square Lay-in. 500 SF Min Order Qty. All quotes must be sent to ABPspecials@armstrong.com

NOTE: All wood-look panels are produced with wood grain parallel to the panel length.

DETAILS



Lyra PB Square Tegular, Brown Sugar Walnut with color-coordinated painted edges

TechLine 877 276-7876
armstrongceilings.com/lyra

Armstrong®
World Industries

LYRA® PB

with Plant-based Binder

Tegular & Square Lay-in – Wood Looks

smooth texture

PLANT BASED BINDER

SUSTAIN® High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT

UP TO 71%

LEED V5

Ecomedes Data

COMMON MATERIALS FRAMEWORK			
Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓
OCCUPANT EXPERIENCE		Acoustics	✓

STANDARD WOOD-LOOK VISUALS (9/16" Square Tegular)

Color-coordinated painted tegular panel edges and recommended standard Suprafine XL Suspension System colors shown below.


Brown Sugar Walnut (WBS)


Edge Color (SW6083)

Suprafine XL Suspension System in Black (BL)


Toffee Chestnut (WTC)


Edge Color (SW7519)

Suprafine XL Suspension System in Oat (SOT)


Vanilla Ash (WVA)


Edge Color (SW9096)

Suprafine XL Suspension System in Hay (SHY)


Honey Oak (WHO)


Edge Color (SW6115)

Suprafine XL Suspension System in Hay (SHY)


Bourbon Cherry (WBC)


Edge Color (SW7705)


Suprafine XL Suspension System in Black (BL)


Cashew Maple (WCM)


Edge Color (SW6115)


Suprafine XL Suspension System in Oat (SOT)


French Roast Walnut (WRW)


Edge Color (SW6083)


Suprafine XL Suspension System in Black (BL)


Portabella Walnut (WPW)


Edge Color (SW6083)


Suprafine XL Suspension System in Black (BL)


MADE-TO-ORDER WOOD-LOOK VISUALS (Available in 9/16" & 15/16" Square Tegular)


500 SF minimum order quantity. Color-coordinated painted tegular panel edges and recommended standard Suprafine XL Suspension System colors shown below.


Earl Grey Teak (WGT)


Edge Color (SW7635)


Suprafine XL Suspension System in Grey Stone (GS)


Dark Mocha Walnut (WMW)


Edge Color (SW6083)



Suprafine XL Suspension System in Black (BL)


Toasted Almond Ash (WTA)


Edge Color (SW7519)


Suprafine XL Suspension System in Medium Taupe (MT)


Truffle Walnut (WTW)


Edge Color (SW6083)


Suprafine XL Suspension System in Black (BL)

All wood-look visuals are available made-to-order in 15/16" Square Lay-in. 500 SF Min Order Qty. All quotes must be sent to ABPspecials@armstrong.com

NOTE: All wood-look panels are produced with wood grain parallel to the panel length.


RECOMMENDED CUSTOM SUSPENSION SYSTEM COLORS

To minimize the suspension system visual, select the custom Sherwin-Williams® color code noted below.

Brown Sugar Walnut (WBS)


Suprafine XL suspension system in SW6083

Dark Mocha Walnut (WMW)


Suprafine XL suspension system in SW6083

Bourbon Cherry (WBC)


Suprafine XL suspension system in SW7705


Custom Suspension System Colors Available

FIBERGLASS – Standard

TechLine 877 276-7876

armstrongceilings.com/lyra

Armstrong® World Industries

LYRA® PB

with Plant-based Binder

Tegular & Square Lay-in – Wood Looks

smooth texture

PLANT BASED BINDER

SUSTAIN® High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT

UP TO 71%

LEED V5

Ecomedes Data

COMMON MATERIALS FRAMEWORK

Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓
OCCUPANT EXPERIENCE		Acoustics	✓

VISUAL SELECTION

PERFORMANCE SELECTION

Dots represent high level of performance. $$$$

armstrongceilings.com/suspdwgs	Susp. Dwg.	Item No.		Dimensions (Inches)	UL Classified Acoustics NRC + CAC =	Total Acoustics[1]	Articulation Class AC	Fire Performance	Bio-Block Anti-Mold / Mildew	Humi-Guard+ Sag Resistant	Certified Low VOC Emissions	CleanAssure™ Disinfectable Panels Fog	DURABILITY Impact	30-Yr Warranty
LYRA® with Plant-based Binder Wood-look Visuals 9/16" Square Tegular	26, 43, 47, 51, 55	**8361PBWBS** **8361PBWTC** **8361PBWVA** **8361PBWHO** **8361PBWBC** **8361PBWCM** **8361PBWRW** **8361PBWPW**	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak Bourbon Cherry Cashew Maple French Roast Walnut Portabella Walnut	24 × 24 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8361PBWGT† 8361PBWMW† 8361PBWTA† 8361PBWTW†	Earl Grey Teak Dark Mocha Walnut Toasted Almond Ash Truffle Walnut	24 × 24 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8357PBWBS **8357PBWTC** **8357PBWVA** **8357PBWHO** **8357PBWBC** **8357PBWCM** **8357PBWRW** **8357PBWPW**	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak Bourbon Cherry Cashew Maple French Roast Walnut Portabella Walnut	24 × 48 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8357PBWGT† 8357PBWMW† 8357PBWTA† 8357PBWTW†	Earl Grey Teak Dark Mocha Walnut Toasted Almond Ash Truffle Walnut	24 × 48 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8365PBWBS **8365PBWTC** **8365PBWVA** **8365PBWHO** **8365PBWBC** **8365PBWCM** **8365PBWRW** **8365PBWPW**	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak Bourbon Cherry Cashew Maple French Roast Walnut Portabella Walnut	24 × 60 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8365PBWGT† 8365PBWMW† 8365PBWTA† 8365PBWTW†	Earl Grey Teak Dark Mocha Walnut Toasted Almond Ash Truffle Walnut	24 × 60 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8381PBWBS **8381PBWTC** **8381PBWVA** **8381PBWHO** **8381PBWBC** **8381PBWCM** **8381PBWRW** **8381PBWPW**	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak Bourbon Cherry Cashew Maple French Roast Walnut Portabella Walnut	24 × 72 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8381PBWGT† 8381PBWMW† 8381PBWTA† 8381PBWTW†	Earl Grey Teak Dark Mocha Walnut Toasted Almond Ash Truffle Walnut	24 × 72 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8382PBWBS **8382PBWTC** **8382PBWVA** **8382PBWHO** **8382PBWBC** **8382PBWCM** **8382PBWRW** **8382PBWPW**	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak Bourbon Cherry Cashew Maple French Roast Walnut Portabella Walnut	24 × 96 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8382PBWGT† 8382PBWMW† 8382PBWTA† 8382PBWTW†	Earl Grey Teak Dark Mocha Walnut Toasted Almond Ash Truffle Walnut	24 × 96 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8359PBWBS **8359PBWTC** **8359PBWVA** **8359PBWHO** **8359PBWBC** **8359PBWCM** **8359PBWRW** **8359PBWPW**	Walnut Brown Sugar Toffee Chestnut Vanilla Ash Honey Oak Bourbon Cherry Cashew Maple French Roast Walnut Portabella Walnut	30 × 30 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8359PBWGT† 8359PBWMW† 8359PBWTA† 8359PBWTW†	Earl Grey Teak Dark Mocha Walnut Toasted Almond Ash Truffle Walnut	30 × 30 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•

† Made-to-order item. 500 SF minimum order quantity applies. Available in 9/16" and 15/16" Square Tegular.

[1] Total Acoustics® ceiling panels have an ideal combination of sound absorption and sound blocking in one product.

All wood-look visuals are available made-to-order in 15/16" Square Lay-in. 500 SF Min Order Qty. All quotes must be sent to ABPspecials@armstrong.com

FIBERGLASS – Standard

LYRA® PB

with Plant-based Binder

Tegular & Square Lay-in – Wood Looks

smooth texture

PLANT BASED BINDER

SUSTAIN® High Performance Sustainable Ceiling Systems

Declare.

RECYCLED CONTENT

UP TO 71%

LEED V5

Ecomedes Data

COMMON MATERIALS FRAMEWORK			
Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH	Circular Economy	✓
OCCUPANT EXPERIENCE		Acoustics	✓

VISUAL SELECTION

PERFORMANCE SELECTION

Dots represent high level of performance. $$$$

armstrongceilings.com/suspdwgs	Susp. Dwg.	Item No.		Dimensions (Inches)	UL Classified Acoustics NRC	+ CAC =	Total Acoustics[1]	Articulation Class AC	Fire Performance	Bio-Block Anti-Mold / Mildew	Humi-Guard+ Sag Resistant	Certified Low VOC Emissions	CleanAssure™ Disinfectable Panels Fog	DURABILITY Impact	30-Yr Warranty
LYRA® with Plant-based Binder Wood-look Visuals 9/16" Square Tegular	26, 43, 47, 51, 55	**8356PBWBS**	Walnut Brown Sugar	48 × 48 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8356PBWTC	Toffee Chestnut												
		8356PBWVA	Vanilla Ash												
		8356PBWHO	Honey Oak												
		8356PBWBC	Bourbon Cherry												
		8356PBWCM	Cashew Maple												
		8356PBWRW	French Roast Walnut												
		8356PBWPW	Portabella Walnut												
		8356PBWGT†	Earl Grey Teak	48 × 48 × 1"	0.95 •	N/A	N/A	190 •	Class A	•	•	•	•	•	•
		8356PBWMW†	Dark Mocha Walnut												
		8356PBWTA†	Toasted Almond Ash												
		8356PBWTW†	Truffle Walnut												
		1" Thick – 15/16" & 9/16" Square Tegular													
Made-to-order Sizes and Colors for Wood-look Panels		Width (short side)	Length (long side)		N/A	N/A	N/A	N/A	Class A	•	•	•	•	•	•
		4" – 6"	9" – 72"												
		12" – 24"	4" – 96"												
		28"	4" – 72"												
		30"– 48"	4" – 60"												

3-4 WEEKS order to ship

Visit the product page online and see "Configure an Item" to verify capabilities.
Questions? email Techline@armstrong.com

Wood looks are not available via the FastSize™ program.

All Lyra PB Square Lay-in Wood-look items are made-to-order

† Made-to-order item. 500 SF minimum order quantity applies. Available in 9/16" and 15/16" Square Tegular.

[1] Total Acoustics® ceiling panels have an ideal combination of sound absorption and sound blocking in one product.
All wood-look visuals are available made-to-order in 15/16" Square Lay-in. 500 SF Min Order Qty. All quotes must be sent to ABPspecials@armstrong.com

ACCESSORIES (must be ordered separately)

435 


Stabilizer Clip (3/4" & 1") –
Recommended for panels 60" and greater in length
NOTE: Panels 60" up to 96" – One clip near mid-point of each long edge. Panels 96" and over – Two clips at 1/3 points of each long edge.

7870 

Spring Border Clip –
(For installations with the panel resting on the wall molding)


SUSPENSION SYSTEMS

15/16"



Prelude® XL®

9/16"



Silhouette® 1/4" Reveal | Silhouette 1/8" Reveal | Suprafine® | Interlude® XL® HRC

PHYSICAL DATA

Material
Fiberglass with plant-based binder and acoustically transparent membrane

Surface Finish
Acoustically transparent membrane with factory-applied latex paint.

Fire Performance
Class A: ASTM E84 and CAN/ULC S102 surface burning characteristics. Flame Spread Index of 25 or less. Smoke Developed Index of 50 or less.

ASTM E1264 Classification
Type B, Form B2, Pattern G Fire Class A

Humidity/Sag Resistance
HumiGuard® Plus ceiling panels are recommended for areas subject to high humidity, up to, but not including, standing water and outdoor applications.

Anti-Mold/Mildew
Ceiling tiles with BioBlock® performance resist the growth of mold and mildew on the tile surface.

High Recycled Content
Classified as containing greater than 50% total recycled content. Total recycled content based on produced composition of post-consumer and pre-consumer (post-industrial) recycled content per FTC guidelines.

VOC Emissions
Third-party certified compliant with California Department of Public Health CDPH/EHLB/Standard Method Version 1.2, 2017. This standard is the guideline for low emissions in LEED®, WELL Building Standard™, Living Building Challenge® (LBC), CalGreen Title 24, ANSI/ASHRAE/USGBC/IES Standard 189; ANSI/GBI Green Building Assessment Protocol.

Insulation Value
R Factor – 4.4 (BTU units); R Factor – 0.70 (Watts units)

Design Consideration
Physical product samples for standard colors are available upon request. Please refer to the physical product sample prior to making a final selection. While we strive to ensure exact color matches, various factors such as differences in materials, texture, substrate porosity, painting processes, lighting, and observer subjectivity can all affect how paint colors appear on ceiling and wall panels, suspension systems, and trim products.

Due to these and other differences, ceiling and wall panels, trim products, and suspension systems with the same color name will coordinate but may not be an exact color match. Product is dye-lotted. Order sufficient initial quantities and attic stock to minimize possible color variation.

Design Consideration: Wood-Look Panels
All wood-look panels are produced with wood grain parallel to the panel length. Wood-look visuals are not dye-lotted, but are designed to mimic slight color variations as seen in real wood.

Cleaning and Disinfecting
Cleaning and CDC-recommended disinfecting options available on armstrong.com/cleaning

30-Year Performance Guarantee & Warranty
When installed with Armstrong® Suspension System. Details at armstrong.com/warranty

Weight; Square Feet/Carton
8356PB – 0.46 LBS/SF; 96 SF/CTN
8361PB – 0.50 LBS/SF; 48 SF/CTN
8357PB – 0.46 LBS/SF; 96 SF/CTN
8365PB – 0.50 LBS/SF; 100 SF/CTN
8381PB – 0.50 LBS/SF; 72 SF/CTN
8382PB – 0.50 LBS/SF; 96 SF/CTN
8359PB – 0.46 LBS/SF; 75 SF/CTN
8461PB – 0.44 LBS/SF; 70 SF/CTN

Minimum Order Quantity
1 carton for all standard items in 9/16" Square Tegular
500 SF minimum order quantities apply to wood-look visuals WGT, WMW, WTA, WTW, and made-to-order sizes (including 15/16" Tegular and Square Lay-in) in all wood-look visuals.

FIBERGLASS – Standard

TechLine / 877 276-7876
armstrongceilings.com/lyra

BPCS-7232-426

LEED® is a registered trademark of the U.S. Green Building Council; Declare® and Living Building Challenge® (LBC) are trademarks of the International Living Future Institute®; WELL™ and WELL Building Standard are trademarks of the International WELL Building Institute; Revit® is a registered of Autodesk, Inc.; UL® is a registered trademark of UL LLC; all other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates © 2026 AWI Licensing LLC

Armstrong® World Industries