METALWORKS™ WH1000
METALWORKS™ WH1100

Custom Flat & Curved Wall Systems

smooth texture

Available with Create! Custom Perforated Panels



MetalWorks WH1000 wall panels with custom perforation

CREATE!™

CUSTOM PERFORATED PANELS



Art and acoustics blend with MetalWorks™ Create!™ custom perforated panels. More at:

armstrongceilings.com/metalworkscreate

plus capabilities to do more



armstrongceilings.com/capabilities

See more photos at:
armstrongceilings.com/photogallery

The MetalWorks™ WH1000 and MetalWorks™ WH1100 aluminum wall systems are versatile custom systems for metal plank designs offering a broad range of panel sizes, perforations, and finishes.

KEY SELECTION ATTRIBUTES

- Available in standard colors and 17 Effects™ wood-look finishes
- Custom colors and wood-look options available
- Smooth visual with durable metal panels - perfect for high-traffic areas
- Variety of edge detail options
- Acoustical options offer a wide choice of standard and custom perforations
- Available in many sizes and shapes
- Configurable system to meet your design needs
- Fully-concealed suspension system
- MetalWorks™ FASTPeel™ panels feature an easier-to-remove protective film

new

- This product can be adjusted to comply with Build America, Buy America (BABA) requirements. Modifications to pricing and lead times may apply. Contact your local sales representative for additional information.



Explore the WH1000 and WH1100 Brochure

TechLine 877 276-7876

armstrongceilings.com/metalworks

Armstrong® World Industries

METALWORKS™ WH1000
METALWORKS™ WH1100

Custom Flat & Curved Wall Systems

smooth texture

RECYCLED CONTENT
UP TO **15%**

LEED V5

COMMON MATERIALS FRAMEWORK		Climate Health	EPD
Human Health	Declare Label	Ecosystem Health	EPD
	HPD		FSC
	3rd Party CDPH	Circular Economy	✓
OCCUPANT EXPERIENCE		Acoustics	✓

STANDARD COLORS & FINISHES

Due to printing limitations, shade may vary from actual product.

FASTPASS

MetalWorks™ – Painted

Whitelume (WHA)


Silverlume (SIA)


Gun Metal (MYA)

Effects™ Classic Dye-Sublimation


Effects Cherry (FXCH)


Effects Dark Cherry (FXDC)


Effects Oak (FXOK)


Effects Walnut (FXWN)


Effects Walnut Espresso (FXWE)

Effects™ Bold Dye-Sublimation


Effects Sea Salt (FXSS)


Effects Ginger (FXGR)


Effects Nutmeg (FXNM)


Effects Poppy Seed (FXPS)


Effects Peppercorn (FXPC)


Effects Almond (FXAL)

Effects™ Subtle Dye-Sublimation


Effects Sesame (FXSE)


Effects Macadamia (FXMA)


Effects Cinnamon (FXCM)


Effects Flax (FXFL)


Effects Cocoa Bean (FXCB)


Effects Coriander (FXCO)

Contact AS Quote for custom size and perforation options.


PERFORMANCE OPTIONS


(1:2 scale shown)


M1 (Unperforated)



M6 (Qg 4205)


M10 (Rg 2516)



M14 (Rg 3205)


M15 (Rd 1612)


M16 (Rd 1607)


M17 (Rv 3223)


M18 (Rd 3210)


M19 (Rg 3220)

ACOUSTICAL INFORMATION

	NRC
M6 with Fleece	0.60
M10 with Fleece	0.60

CUSTOM COLORS


Due to printing limitations, shade may vary from actual product.



Custom Colors Available


Custom Wood-look Finishes Available

For custom options contact ASQuote, ASQuote@armstrongceilings.com

PERFORMANCE OPTIONS


Custom Perforations Available


Create!™ Custom Perforations Available

CUSTOM WALLS

TechLine 877 276-7876
armstrongceilings.com/metalworks

Armstrong® World Industries

METALWORKS™ WH1000
METALWORKS™ WH1100

Custom Flat & Curved Wall Systems

smooth texture

RECYCLED CONTENT
UP TO **15%**


LEED V5

COMMON MATERIALS FRAMEWORK			
Human Health	Declare Label	Climate Health	EPD
	HPD	Ecosystem Health	EPD
	3rd Party CDPH		FSC
OCCUPANT EXPERIENCE		Circular Economy	✓
		Acoustics	✓


INSTALLATION DETAILS

WH1000 and WH1100 Wall Panel


WH1000



WH1100



Mounting Bracket



PHYSICAL DATA – ALUMINUM WALL PANEL SYSTEM

Panel Dimensions
Typical panel dimensions range from 5" to 39" wide up to 118" long for vertical installations and 5" to 39" long for horizontal installations. The WH1000/WH1100 system features larger size panels and gasketed 5mm joints. Project management assistance is available by calling Techline at 877 276-7876.

Material
Standard material is 0.063" aluminum.

Surface Finishes
Painted: Factory-applied polyester paint
Effects™: Powder-coated, dye-sublimation, post-production
Custom colors and finishes available.

Fire Performance
ASTM E84 surface burning characteristics. Flame Spread Index 25 or less. Smoke Developed Index 50 or less. Fire Class A.

Acoustical Options
Perforated Custom panels are usually supplied with factory-installed black, sound absorbent acoustical fleece. Fiberglass and mineral fiber infill panels are also available.

Design Considerations
All WH1000/WH1100 projects will be supported by our project management team with full shop drawings to support the submittal and installation process.

Installation Considerations
Panels with certain product finishes, e.g., Effects™ and Natural Reflections, are not MetalWorks™ FASTPeel™ panels and will be protected by other means for packaging and handling purposes.

Design Support
For design assistance contact ASQuote@armstrongceilings.com

Cleaning and Disinfecting
Cleaning and CDC-approved disinfecting options available on armstrongceilings.com/cleaning

Warranty
One (1) year limited warranty.
Details at armstrongceilings.com/warranty

CUSTOM WALLS

TechLine / 877 276-7876
armstrongceilings.com/metalworks
BPCS-7055-326

LEED® is a registered trademark of the U.S. Green Building Council; WELL™ and WELL Building Standard™ are trademarks of the International WELL Building Institute; all other trademarks used herein are the property of AWI Licensing LLC and/or its affiliates © 2026 AWI Licensing LLC

Armstrong® World Industries